rev. 06-18-09 supercedes. 00-00-00

MSDS

# PREMIUM WOVEN HOUSEWRAP

**SECTION 1. Company Information** 

# **Product Description**

SBS Modified Bitumen Waterproofing Membrane. Multipurpose Waterproofing Membrane.

# Code of MSDS

IBS 1001E-1.03

## Manufacturer

International Building Components, Inc.

21428 Woods Creek Road Monroe, WA, 98272 USA Telephone - (360)794.2151 Fax - (360)863.8434 Toll Free - 1.888.610.2151

Web - www.waterblocksystems.com

WHMIS Protective Clothing TDG and DOT

Not Regulated



Not Regulated

## **EMERGENCY OVERVIEW!!!**

Under normal use, this product is not expected to create any health or environmental hazard.

# **In Case of Emergency**

Toll Free: 1.888.610.2151

Poison Control Center: Consult local telephone directory

# SECTION 2. Chemical Product

Scientific Name:
Chemical Family:
Hydrocarbons
Not applicable
Hydrocarbons

Formula: Not applicable, mixture

Molecular weight:
Synonyms:

Not applicable
Not applicable

Syllollyllis.		Νοι αρ	piicabie		
SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS					
Name	CAS#	% Weight	Exposure limit TLV-TWA	LD 50 route, species (RTECS)	LC 50 route, species (RTECS)
Bitumen	8052-42-4	40-70	5 mg/m3 (ACGIH, 1998) (asphalt fumes)	Not available	Not available
Styrene butadiene copolymer	9003-55-8	7-15	5 mg/mÂ'c2³'b3 (breathable part) (OSHA, 1997) 15 mg/mÂ'c2³'b3 (total dust) (OSHA, 1997) 3 mg/mÂ'c2³'b3 (breathable part) (ACGIH, 1998) 10 mg/m3 (total dust) (ACGIH, 1998)	Not available	Not available
Highly hydrotreated naphthenic oil	6472-52-5	3-7	Not available	>9000 mg/kg oral rat >2000 mg/kg dermal rat (Rf. 1)	Not available
Siliconised paper	N/D	7-15	Not available	Not available	Not available
Polyethylene film	9002-88-4	7-15	Not available	Not available	Not available

# SECTION 4. Hazards Identification

SKIN CONTACT: None. EYE CONTACT: None.

INHALATION: None. INGESTION: Not applicable.

# SECTION 5. First Aid Measures

**SKIN CONTACT:** Wash gently with warm water and soap if irritation persists. **EYE CONTACT:** Not applicable.

and soap if irritation persists.

Not applicable.

INGESTION:

Not applicable.



# SECTION 6. Fire-Fighting Measures

Flammability:Not applicableExplosion data:Not applicableFlash Point:Not applicableAuto-Ignition Temperature:Not applicableInflammability limits in air:Not applicable.FIRE AND EXPLOSION HAZARDS:None.

(% in volume)

# **COMBUSTION PRODUCTS:**

Burning of this material will produce thick black smoke. Irritating and/or toxic gases including Hydrogen Sulphide and Sulphur Dioxide may be generated by thermal decomposition or combustion.

# FIRE FIGHTING INSTRUCTIONS:

Approach fire from upwind. Evacuate the area and fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Wear self-contained breathing apparatus and appropriate protective clothing in accordance with standard CAN/CSA-Z94.4-93 of CSA, standard CFR 1910.134 of OSHA or standard Z88.2 of ANSI.

## **EXTINGUISHING MEDIA:**

Foam, carbon dioxide, sand, dry chemical.

# SECTION 7. Accidental Release Measures

## RELEASE OR SPILL:

If hot material is spilled, allow enough time to cool completely and remove to a container for disposal. Wear appropriate breathing apparatus (if applicable) and protective clothing. Notify appropriate environmental agency(ies). Wash spill area with soap and water. Prevent entry into waterways, sewers, basements or confined areas.

## SECTION 8. Handling and Storage

STORAGE:

Store self-adhesive membranes away from the sun.

# SECTION 9. Exposure Controls / Personal Protection

**HANDS:** Wear resistant gloves. **RESPIRATORY:** Not required.

EYES: Not required.
FEET: Not required.
BODY: Not required.

# SECTION 10. Physical and Chemical Properties

PHYSICAL STATE: **ODOUR AND APPEARANCE:** Black membrane. Solid VAPOUR PRESSURE (20Â'c2°'b0C): ODOUR THRESHOLD: Not applicable Not applicable **PERCENT VOLATILE** (% by volume): **VAPOUR DENSITY** (air = 1): Not applicable Not applicable BOILING POINT (760mm Hg): **EVAPORATION RATE:** Not applicable Not applicable

(Butyl acetate = 1)

(20Â'c2°'b0C)

FRÉEZING POINT: Not applicable SPECIFIC GRAVITY (H2O = 1): Variable

SOLUBILITY IN WATER: Not applicable COEFFICIENT WATER / OIL DISTRIBUTION: Not applicable

VISCOSITY: Not applicable

# SECTION 11. Stability and Reactivity

STABILITY: This material is stable. CONDITIONS OF REACTIVITY: Avoid excessive heat

INCOMPATIBILITY: Acid and strong basis and organic solvents and HAZARDOUS DECOMPOSITION PRODUCTS: None identified.

greasy substances.

HAZARDOUS POLYMERISATION: None

## SECTION 12. Toxicological Information

ACUTE EXPOSURE: (short term):

Under normal use, this product is not expected to create any health hazard

## **CHRONIC EXPOSURE:**

Under normal use, this product is not expected to create any health hazard. (long term)

CARCINOGENICITY: None. TERATOGENICITY: None.

IRRITANT MATERIAL:NoneLD 50 and LC50 OF MATERIAL:Not applicable.MUTAGENICITY:None knownSENSITISATION:None knownREPRODUCTIVE EFFECTS:None knownSYNERGISTIC MATERIALS:None known.

# SECTION 13. Ecological Information

ENVIRONMENTAL EFFECTS: None.



#### **SECTION 14.** Disposal Considerations

### WASTE DISPOSAL:

This product is not hazardous waste. Consult provincial regulations and federal regulations to know disposal methods. This material is not listed by the EPA as hazardous waste.

#### SECTION 15. Transport Information

This product is not regulated by DOT and TDG.

### SECTION 16. Regulatory Information

# WHMIS CLASS:

This product is not regulated by WHMIS.

This product is not listed as hazardous material.

All constituents of this product are included in the Interior List of Substances List (Canada).

All constituents of this product are listed on the Toxic Substances Control Act Inventory (TSCA â'e2€'80"'93 United States).

HMIS (USA): Health Hazard: 1

Fire Hazard: 1 Reactivity: 0

Personal protection: 1

Fire Hazard: 1

Reactivity: 1 Health: 1

Specific Hazard: 0

# SECTION 17.

## Other Information

# Glossary:

ACGIH: American Conference of Governmental Industrial Hygienists

ANSI: American National Standards Institute

**Chemical Abstract Services** CAS: CFR: Code of Federal Regulations DOT: Department of Transportation DSL: **Domestic Substances List** 

CL50: (Lethal concentration 50) Concentration of a substance in air that causes dead of 50% mortality of a defined animal population LD50:

(Lethal dose50) Single dose of a substance that, when administrated by a define route in an animal assay, is expected to cause the

NFPA (USA):

death of 50% of a defined animal population.

**Environmental Protection Agency** EPA:

Hazardous Material Information System HMIS:

NIOSH: National Institute for Occupational Safety and Health

NFPA: National Fire Protection Association NTP: National Toxicology Program

Occupational Safety & Health Administration Resource Conservation and Recovery Act OSHA:

RCRA: SARA: Superfund Amendments and Reorganisation Act

TDG: Transportation Dangerous Goods

TLV: Threshold Limit Value TWA: Time-weighted average TSCA: Toxic Substances Control Act

Workplace Hazardous Materials Information System WHMIS:

References (1): Material Safety Data Sheet from the supplier

Update justification: **New MSDS** 

This MSDS contains all the information required by ANSI Z-400.1-1998 standard (United States), by regulation 29 CFR Part 1910.1200 of the Hazard Communication Standard of OSHA, and is in accordance with standard DORS/88-66 OF WHMIS Canada.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

